

PARASITES OF TASMANIAN NATIVE AND FERAL FAUNA

PART 1. ARTHROPODA

by

R. H. GREEN, Queen Victoria Museum, Launceston Tasmania

B. L. MUNDAY, Tasmanian Department of Agriculture,
Mt. Pleasant Laboratories, Launceston, Tasmania.

Manuscript received 2/6/71

Published 9/8/71.

PREFACE

This checklist has been compiled from personal records and published literature for workers interested in the distribution of parasites of native and feral fauna.

As neither of the authors are parasitologists omissions and errors in classification probably have occurred despite valuable assistance provided by others. Comments and corrections will be welcomed.

The notation used places the name of the author of the parasite after the parasite's name, and a reference to the Tasmanian occurrence of the parasite after the host's name(s).

The list contains only those parasites collected directly from the host.

An asterisk (*) indicates only a tentative determination.

	<u>PARASITE</u>	<u>HOST</u>
Class	ARACHNIDA	
Order	ACARI	
Family	DERMANYSSIDAE	
Genus	<i>Myonyssus</i>	
	<i>Myonyssus decumani</i> Tiraboschi, 1904	<i>Isoodon obesulus</i> , Domrow, 1963b
Genus	<i>Ornithonyssus</i>	
	<i>Ornithonyssus sylviarum</i> (Canestrini and Fanzago, 1877)	<i>Turdus merula</i> , pers. com. Calaby <i>Passer domesticus</i> , Domrow, 1936b
Genus	<i>Trichonyssus</i>	
	<i>Trichonyssus womersleyi</i> Domrow, 1958	<i>Chalinolobus gouldi</i> , pers. com. Womersley <i>Nyctophilus geoffroyi</i> , pers. com. Womersley <i>Eptesicus pumilus</i> , pers. com. Womersley
Genus	<i>Dermanyssus</i>	
	<i>Dermanyssus hirundinis</i> [<i>Dermanyssus gallinae</i> (de Geer, 1778)]	<i>Meliphaga flavicollis</i> , Domrow, 1963b

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Echinonyssus</i>	
	<i>Echinonyssus validipes</i> Domrow, 1955	<i>Potorous tridactylus</i> , Domrow, 1963b
Genus	<i>Domroinyssus</i>	
	<i>Domroinyssus dentatus</i>	<i>Antechinus minimus</i> , pers. com. Calaby
Genus	<i>Hirstionyssus</i>	
	<i>Hirstionyssus musculi</i> (Johnson, 1849)	<i>Mus musculus</i> , Domrow, 1963b
Genus	<i>Trichosurolaelaps</i>	
	<i>Trichosurolaelaps crassipes</i> Womersley, 1956	<i>Trichosurus vulpecula</i> , pers. com. Calaby
	<i>Trichosurolaelaps striatas</i> Domrow, 1958	<i>Pseudochrius convolutor</i> , Domrow, 1961
Genus	<i>Australolaelaps</i>	
	<i>Australolaelaps validipes</i>	<i>Potorous tridactylus</i> , pers. com. Calaby
	<i>Australolaelaps greeni</i> Domrow, 1966	<i>Bettongia cuniculus</i> , Domrow, 1966a
Genus	<i>Andreacarus</i>	
	<i>Andreacarus radfordi</i> Domrow, 1963	<i>Dasyurus viverrinus</i> , Domrow, 1963a <i>Eudromicia lepida</i> , Domrow, 1963a
Genus	<i>Gymnolaelaps</i>	
	<i>Gymnolaelaps annectans</i> Womersley, 1955	<i>Isoodon obesulus</i> , Domrow, 1963b <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Antechinus minimus</i> , pers. com. Calaby
Genus	<i>Laelapsella</i>	
	<i>Laelapsella humi</i> Womersley, 1955	<i>Hydromys chrysogaster</i> , Munday, 1966 <i>Rattus lutreolus</i> , Domrow, 1963b <i>Rattus norvegicus</i> , pers. com. Calaby
Genus	<i>Haemolaelaps</i>	
	<i>Haemolaelaps marsupialis</i> (Berlese, 1910)	<i>Isoodon obesulus</i> , Domrow, 1961
	<i>Haemolaelaps domrowi</i> Womersley, 1958	<i>Perameles gunnii</i> , Domrow, 1961
	<i>Haemolaelaps hattae</i> Domrow, 1963	<i>Bettongia cuniculus</i> , Domrow, 1963b
Genus	<i>Mesolaelaps</i>	
	<i>Mesolaelaps bandicoota</i> (Womersley, 1956)	<i>Rattus lutreolus</i> , Domrow, 1963b
	<i>Mesolaelaps antipodiana</i> (Hirst, 1926)	<i>Isoodon obesulus</i> , Domrow, 1961 <i>Perameles gunnii</i> , Domrow, 1963b <i>Oryctolagus cuniculus</i> , Domrow, 1961 <i>Dasyurus viverrinus</i> , Domrow, 1961
	<i>Mesolaelaps australiensis</i> Hirst, 1926	

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Laelaps</i>	
	<i>Laelaps assismilis</i> Womersley, 1956	<i>Mastacomys fuscus</i> <i>Rattus lutreolus</i> , Domrow, 1961
	<i>Laelaps calabyi</i> Domrow, 1961	<i>Pseudomys higginsi</i> , Domrow, 1961
	<i>Laelaps cybialis</i> Domrow, 1963	<i>Mastacomys fuscus</i> , Domrow, 1963b
	<i>Dermanyssidae</i> not yet determined have been collected from	
		<i>Eudromicea lepida</i> <i>Eptesicus pumilus</i> <i>Nyctophilus geoffroyi</i> <i>Chalinolobus gouldi</i> <i>Pipistrellus tasmaniensis</i> <i>Tachyglossus setosus</i> <i>Trichosurus vulpecula</i> <i>Leioploisma pretiosum</i>
Family	TROMBICULIDAE	
Genus	<i>Neotrombicula</i>	
	<i>Neotrombicula novaehollandiae</i>	<i>Wallabia rufogrisea</i> , pers. com. Calaby <i>Thylagale billardieri</i> , pers. com. Calaby <i>Potorous tridactylus</i> , pers. com. Calaby <i>Trichosurus vulpecula</i>
Genus	<i>Siseca</i>	
	<i>Siseca vandiemensi</i> Domrow	<i>Leioploisma ocellatum</i> , pers. com. Calaby <i>Leioploisma metallicum</i> , Domrow, 1962 <i>Leioploisma entrecasteauxii</i> , Domrow, 1962
Genus	<i>Guntherana</i>	
	<i>Guntherana kallipygos</i>	<i>Trichosurus vulpecula</i>
	<i>Trombiculidae</i> not yet determined have been collected from:	
		<i>Eptesicus pumilus</i>
Family	LISTROPHORIDAE	
Genus	<i>Campylochirus</i>	
	<i>Campylochirus chelopus</i> Trouessart, 1893	<i>Pseudocheirus convolutor</i> , Domrow, 1958
Genus	<i>Listrophoroides</i>	
	<i>Listrophoroides expansus</i> Ferris, 1932	<i>Rattus lutreolus</i>
Genus	<i>Cytostethum</i>	
	<i>Cytostethum promeces</i> Domrow, 1956*	<i>Potorous tridactylus</i> , Domrow, 1961
	<i>Cytostethum pseudocharactum</i> Domrow, 1956	<i>Potorous tridactylus</i> , Domrow, 1961
	<i>Cytostethum mollisoni</i> Domrow, 1961	<i>Potorous tridactylus</i> , Domrow, 1961

	<u>PARASITE</u>	<u>HOST</u>
	<i>Cystostethum nanophyes</i> Domrow, 1955	<i>Potorous tridactylus</i> , Domrow, 1955
	<i>Listrophoridae</i> not yet determined have been collected from:	
		<i>Thylogale billardieri</i>
Family	PSOROPTIDAE	
Genus	<i>Acaroptes</i>	
	<i>Acaroptes vombatus</i>	<i>Vombatus ursinus</i> , pers. com. Calaby
Family	CHEVLETTIDAE	
Genus	<i>Neochylettiella</i>	
	<i>Neochylettiella artami</i> Domrow, 1966	<i>Artamus cyanopterus</i> , Domrow, 1970
Family	ARGASIDAE	
Genus	<i>Argas</i>	
	<i>Argas (Carios) australiensis</i> Kohls and Hoogstraal, 1962	<i>Eptesicus pumilus</i> , pers. com. Calaby
	<i>Argas (Carios) sp.</i>	<i>Chalinolobus gouldi</i> , pers. com. Calaby
		<i>Pipistrellus tasmaniensis</i> , Roberts, 1964
Family	IXODIDAE	
Genus	<i>Ixodes</i>	
	<i>Ixodes eudyptidis</i> , Maskell, 1885	<i>Eudyptula minor</i> , Roberts, 1964 <i>Larus novaehollandiae</i> , Roberts, 1964 <i>Sula bassana</i> , Roberts, 1964
	<i>Ixodes auritulus</i> Neumann, 1904	<i>Tyto novaehollandiae</i> , Roberts, 1970 <i>Puffinus tenuirostris</i> , pers. com. Ryan <i>Sericornis humilis</i> , Roberts, 1964
	<i>Ixodes kerguelensis</i> André and Colas-Belcour 1942	<i>Strepera fuliginosa</i> , Roberts, 1964 <i>Puffinus tenuirostris</i> , Roberts, 1964 <i>Pelecanoides urinatrix</i> , pers. com. Calaby <i>Diomedea exulans</i> , Roberts, 1964
	<i>Ixodes uriae</i> White, 1852	<i>Strepera fuliginosa</i> , pers. com. Calaby <i>Eudyptula minor</i> , Roberts, 1960
	<i>Ixodes kohlsi</i> Arthur, 1955	<i>Eudyptula minor</i> , Roberts, 1960 <i>Puffinus tenuirostris</i> , pers. com. Ryan <i>Phalacrocorax</i> sp., pers. com. Ryan <i>Ornithorhynchus anatinus</i> , pers. com. Calaby
	<i>Ixodes ornithorhynchi</i> Lucas, 1845	<i>Tachyglossus setosus</i> , Roberts, 1964
	<i>Ixodes tasmani</i> Neumann, 1899	<i>Wallabia rufogrisea</i> , Roberts, 1964 <i>Thylogale billardieri</i> , Roberts, 1964 <i>Bettongia cuniculus</i> , Roberts, 1964 <i>Potorous tridactylus</i> , Roberts, 1964 <i>Vombatus ursinus</i> , Roberts, 1964 <i>Isoodon obesulus</i> , Roberts, 1964 <i>Perameles gunnii</i> , Roberts, 1964 <i>Trichosurus vulpecula</i> , Roberts, 1964 <i>Pseudochirus convolutor</i> , Roberts, 1964

<u>PARASITE</u>	<u>HOST</u>
<i>Ixodes hydromyidis</i> Swan, 1931	<i>Petaurus breviceps</i> , Roberts, 1964 <i>Eudromicia lepida</i> , pers. com. Roberts <i>Sarcophilus harrisii</i> , Roberts, 1960 <i>Dasyurus viverrinus</i> , Roberts, 1964 <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Hydromys chrysogaster</i> , Roberts, 1964 <i>Mastacomys fuscus</i> , pers. com. Calaby <i>Pseudomys higginsi</i> , Roberts, 1964 <i>Rattus lutreolus</i> , Roberts, 1964 <i>Rattus rattus</i> , Roberts, 1964 <i>Rattus norvegicus</i> , Roberts, 1964 <i>Hydromys chrysogaster</i> , pers. com. Ryan
<i>Ixodes facialis</i> Warburton and Nuttall, 1909	<i>Sarcophilus harrisii</i> , Roberts, 1964 <i>Dasyurops maculatus</i> , Roberts, 1960 <i>Dasyurus viverrinus</i> , Roberts, 1964 <i>Isodon obesulus</i> , pers. com. Calaby <i>Antechinus swainsonii</i> , Roberts, 1970 <i>Dasyurus viverrinus</i> , Roberts, 1964 <i>Antechinus minimus</i> , Roberts, 1964 <i>Antechinus swainsonii</i> , Roberts, 1970 <i>Potorous tridactylus</i> , Roberts, 1964
<i>Ixodes antechini</i> Roberts, 1960	<i>*Petroica phoenicia</i> , Roberts, 1970 <i>*Colluricincla harmonica</i> , Roberts, 1964 <i>*Sericornis humilis</i> , Roberts, 1964 <i>*Melionnis novaehollandiae</i> , Roberts, 1970 <i>*Strepera fuliginosa</i> , Roberts, 1964 <i>*Cracticus torquatus</i> , Roberts, 1964 <i>*Sturnus vulgaris</i> , Roberts, 1970 <i>*Thyligale billardieri</i> , Roberts, 1964 <i>*Potorous tridactylus</i> , Roberts, 1970 <i>Bettongia cuniculus</i> , Roberts, 1964 <i>Vombatus ursinus</i> , Roberts, 1964 <i>*Isodon obesulus</i> , Roberts, 1964 <i>*Perameles gunnii</i> , Roberts, 1964 <i>*Trichosurus vulpecula</i> , Roberts, 1964 <i>*Dasyurops maculatus</i> , Roberts, 1970 <i>*Pseudomys higginsi</i> , Roberts, 1970 <i>*Rattus lutreolus</i> , Roberts, 1964 <i>*Rattus rattus</i> , Roberts, 1964 <i>*Rattus norvegicus</i> , pers. com. Calaby <i>Mus musculus</i> , Roberts, 1964 <i>Wallabia rufogrisea</i> , Roberts, 1960 <i>Potorous tridactylus</i> , pers. com. Kemp <i>Trichosurus vulpecula</i> , Roberts, 1964 <i>Pseudocheirus convolutor</i> , Roberts, 1970 <i>Sericornis humilis</i> , Roberts, 1964 <i>Bettongia cuniculus</i> , Roberts, 1964 <i>Trichosurus vulpecula</i> , Roberts, 1964 <i>Rattus lutreolus</i> , Roberts, 1964 <i>Rattus rattus</i> , Roberts, 1964 <i>Sericornis humilis</i> , pers. com. Calaby <i>Melionnis novaehollandiae</i> , pers. com. Calaby <i>Acanthiza ewingii</i> , pers. com. Calaby
<i>Ixodes australiensis</i> Neumann, 1904	
<i>Ixodes cornutus</i> Roberts, 1960	
<i>Ixodes hirsti</i> Hassall, 1931	
<i>Ixodes trichosuri</i> Roberts, 1960	
<i>Ixodes</i> sp.	

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Amblyomma</i>	
	<i>Amblyomma postoculatum</i> Neumann, 1899	Unknown host, Neumann, 1899
	<i>Amblyomma limbatum</i> Neumann	Unrecorded host, Roberts, 1970
Genus	<i>Aponomma</i>	
	<i>Aponomma hydrosauri</i> Denny, 1843	<i>Tiliqua nigrolutea</i> , Roberts, 1964 <i>Tiliqua casuarina</i> , Roberts, 1964
	<i>Aponomma concolor</i> Neumann, 1899	<i>Amphibolurus diemensis</i> , Roberts, 1964
	<i>Aponomma auruginosus</i> Schulze, 1936	<i>Denisonia superba</i> , Roberts, 1964 <i>Denisonia coronoides</i> , pers. com. Calaby <i>Notechis scutatus</i> , Roberts, 1964 <i>Tachyglossus setosus</i> , Roberts, 1964
		<i>Vombatus ursinus</i> , Roberts, 1964
Class	INSECTA	
Order	<u>PHTHIAPTERA</u>	
Sub Order	MALLOPHAGA	
Division	AMBLYCERA	
Family	MENOPONTIDAE	
Genus	<i>Actornithophilus</i>	
	<i>Actornithophilus hoplopteri</i> (Mjoberg, 1910) sens. lat.	<i>Lobibyx novaehollandiae</i> , pers. com. Calaby
Genus	<i>Longimenopon</i>	
	<i>Longimenopon</i> sp.	<i>Pachyptila turtur</i> , pers. com. Clay
Genus	<i>Ancistrona</i>	
	<i>Ancistrona vagelli</i>	<i>Pachyptila turtur</i> , pers. com. Ryan
	<i>Ancistrona</i> sp.	<i>Pterodroma lessoni</i> , pers. com. Clay
Genus	<i>Austromenopon</i>	
	<i>Austromenopon transversum</i> (Denny, 1842)	<i>Larus novaehollandiae</i> , pers. com. Calaby
	<i>Austromenopon stammeri</i> Timmermann, 1963	<i>Pachyptila vittata</i> , pers. com. Clay <i>Pachyptila salvini</i> , pers. com. Clay <i>Pachyptila turtur</i> , pers. com. Clay <i>Pachyptila belcheri</i> , pers. com. Clay <i>Pelecanoides urinatrix</i> , pers. com. Calaby <i>Puffinus tenuirostris</i> , pers. com. Calaby <i>Macronectes giganteus</i> , pers. com. Clay
Genus	<i>Colpocephalum</i>	
	<i>Colpocephalum zerafae</i> Ansari, 1955	<i>Falco berigora</i> , pers. com. Calaby
	<i>Colpocephalum fregili</i> (Denny, 1842)	<i>Corvus tasmanicus</i> , pers. com. Calaby

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Eidmanniella</i> <i>Eidmanniella pustulosa</i> (Nitzsch, 1866)	<i>Sula bassana</i> , pers. com. Calaby
Genus	<i>Kurodaia</i> <i>Kurodaia subpachygaster</i> (Piaget, 1880) <i>Kurodaia</i> sp.	<i>Tyto novaehollandiae</i> , pers. com. Calaby <i>Ninox novaeseelandiae</i> , pers. com. Calaby
Genus	<i>Nosopon</i> <i>Nosopon lucidum</i> (Rudow, 1869)	<i>Circus approximans</i> , pers. com. Clay
Genus	<i>Menacanthus</i> <i>Menacanthus mutabilis</i> Blaqoveshtchensky, 1940 <i>Menacanthus</i> sp.	<i>Sturnus vulgaris</i> , pers. com. Calaby <i>Synoicus ypsilophorus</i> , pers. com. Calaby <i>Coruricincla harmonica</i> , pers. com. Calaby <i>Artamus cyanopterus</i> , pers. com. Calaby <i>Corvus tasmanicus</i> , pers. com. Calaby
Genus	<i>Myrsidea</i> <i>Myrsidea strangeri</i> Clay, 1970 <i>Myrsidea</i> sp.	<i>Malurus cyaneus</i> , Clay, 1970 <i>Pachycephala pectoralis</i> , pers. com. Calaby <i>Zoothera dauma</i> , pers. com. Calaby <i>Melithreptus validirostris</i> , pers. com. Calaby <i>Corvus tasmanicus</i> , pers. com. Calaby <i>Strepera fuliginosa</i> , pers. com. Calaby
Genus	<i>Pseudomenopon</i> <i>Pseudomenopon concretum</i> (Piaget, 1880) <i>Pseudomenopon</i> sp.	<i>Porphyrio melanotus</i> , pers. com. Clay <i>Tribonyx mortierii</i> , pers. com. Calaby
Genus	<i>Psittacomnenopon</i> <i>Psittacomnenopon psittacus</i> (Le Souef and Bullen, 1902)	<i>Platycercus eximius</i> , pers. com. Calaby
Family	BOOPIDAE	
Genus	<i>Boopia</i> <i>Boopia tarsata</i> Piaget, 1880	<i>Vombatus ursinus</i> , pers. com. Murray
Genus	<i>Paraheterodoxus</i> <i>Paraheterodoxus</i> n. sp.	<i>Bettongia cuniculus</i> , pers. com. Clay
Family	RICINIDAE	
Genus	<i>Ricinus mugimaki</i> (Uchida, 1915) <i>Ricinus</i> sp.	<i>Rhipidura fuliginosa</i> , pers. com. Calaby <i>Acanthiza ewingii</i> , pers. com. Calaby <i>Meliphaga flavicollis</i> , pers. com. Calaby

	<u>PARASITE</u>	<u>HOST</u>
Division	ISCHNOCERA	
Family	PHILOPTERIDAE	
Genus	<i>Alcedoecus</i>	
	<i>Alcedoecus delphax</i> (Nitzsch, 1866)	<i>Dacelo gigas</i> , pers. com. Calaby
Genus	<i>Ardeicola</i>	
	<i>Ardeicola</i> sp.	<i>Botaurus poiciloptilus</i> , pers. com. Calaby
Genus	<i>Brueelia</i>	
	<i>Brueelia</i> sp.	<i>Pachycephala pectoralis</i> , pers. com. Calaby <i>Cinclosoma punctatum</i> , pers. com. Calaby <i>Malurus cyaneus</i> , pers. com. Calaby <i>Anthochaera paradoxa</i> , pers. com. Calaby <i>Strepera arguta</i> , pers. com. Calaby <i>Zoothera davina</i> , pers. com. Calaby
	<i>Brueelia davinae</i> (Clay, 1936)	
Genus	<i>Coloceras</i>	
	<i>Coloceras</i> sp.	<i>Phaps chalcoptera</i> , pers. com. Calaby
	<i>Coloceras chinensis</i> (Kellogg and Chapman, 1902) sens. lat.	<i>Streptopelia chinensis</i> , pers. com. Calaby
Genus	<i>Columbicola</i>	
	<i>Columbicola tasmaniensis</i> Tenderio, 1967	<i>Phaps chalcoptera</i> , Tenderio, 1967
Genus	<i>Craspedorrhynchus</i>	
	<i>Craspedorrhynchus</i> sp.	<i>Accipiter fasciatus</i> , pers. com. Clay <i>Aquila audax</i> , pers. com. Calaby <i>Haliaeetus leucogaster</i> , pers. com. Calaby <i>Falco berigora</i> , pers. com. Calaby
Genus	<i>Docophoroides</i>	
	<i>Docophoroides brevis</i> (Dufour, 1835)	<i>Diomedea exulans</i> , pers. com. Clay
	<i>Docophoroides</i> sp.	<i>Macronectes gigas</i> , pers. com. Clay
Genus	<i>Cuclotogaster</i>	
	<i>Cuclotogaster synoicus</i> (Clay, 1938)	<i>Synoicus ypsilophorus</i> , pers. com. Calaby
Genus	<i>Goniodes</i>	
	<i>Goniodes retractus</i> (Le Souef, 1902)	<i>Synoicus ypsilophorus</i> , pers. com. Calaby
Genus	<i>Falcolipeurus</i>	
	<i>Falcolipeurus suturalis</i> (Rudow, 1869)	<i>Aquila audax</i> , pers. com. Clay

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Naubates</i>	
	<i>Naubates prioni</i> (Enderlein, 1908)	<i>Pachyptila turtur</i> , pers. com. Clay <i>Pachyptila vittata</i> , pers. com. Clay <i>Pachyptila belcheri</i> , pers. com. Clay <i>Halobaena caerulea</i> , pers. com. Calaby
	<i>Naubates clypeatus</i> (Giebel, 1874)	<i>Pterodroma lessonii</i> , pers. com. Clay
	<i>Naubates heteroproctus</i> Harrison, 1937	<i>Pachyptila turtur</i> , pers. com. Ryan
	<i>Naubates</i> sp.	
Genus	<i>Halipeurus</i>	
	<i>Halipeurus pelagicus</i> (Denny, 1842)	<i>Pelagodroma marina</i> , pers. com. Calaby
	<i>Halipeurus falsus pacificus</i> Edwards, 1961	<i>Pelecanoides urinatrix</i> , pers. com. Calaby
	<i>Halipeurus diversus</i> (Kellogg, 1896)	<i>Puffinus tenuirostris</i> , pers. com. Calaby
	<i>Halipeurus procellariae</i> (J. C. Fabricius, 1775)	<i>Pterodroma lessonii</i> , pers. com. Clay
Genus	<i>Paraclisis</i>	
	<i>Paraclisis obscura</i> (Rudow, 1869)	<i>Macronectes giganteus</i> , pers. com. Clay
Genus	<i>Pectinopygus</i>	
	<i>Pectinopygus bassani</i> (Fabricius, 1780)	<i>Sula bassana</i> , pers. com. Calaby
	<i>Pectinopygus gyricornis</i> (Denny, 1842)	<i>Phalacrocorax carbo</i> , pers. com. Calaby
	<i>Pectinopygus subsetosus</i> (Piaget, 1880)	<i>Phalacrocorax melanoleucus</i> , pers. com. Calaby
Genus	<i>Pelmatocerandra</i>	
	<i>Pelmatocerandra setosa</i> (Giebel, 1876)	<i>Pelecanoides urinatrix</i> , pers. com. Calaby
Genus	<i>Philopterus</i>	
	<i>Philopterus</i> sp.	<i>Colluricinclia harmonica</i> , pers. com. Calaby <i>Cinclosoma punctatum</i> , pers. com. Calaby <i>Zoothera dauma</i> , pers. com. Calaby <i>Melithreptus validirostris</i> , pers. com. Calaby <i>Phylidonyris novaehollandiae</i> , <i>Anthochaera paradoxa</i> , <i>Corvus tasmanicus</i> , pers. com. Calaby <i>Strepera fuliginosa</i> , pers. com. Calaby <i>Strepera aurata</i> , pers. com. Calaby <i>Turdus merula</i> , pers. com. Calaby
Genus	<i>Physconelloides</i>	
	<i>Physconelloides australiensis</i> Tendeiro, 1969	<i>Phaps chalcoptera</i> , pers. com. Calaby
Genus	<i>Quadraceps</i>	
	<i>Quadraceps cucullatus</i> Timmermann, 1955	<i>Charadrius cucullatus</i> , pers. com. Calaby

	<u>PARASITE</u>	<u>HOST</u>
	<i>Quadraceps renschi</i> Timmermann, 1954	<i>Lobibyx novaehollandiae</i> , pers. com. Calaby
Genus	<i>Saemundssonia</i> <i>Saemundssonia lockleyi</i> Clay, 1949 <i>Saemundssonia platygaster</i> (Denny, 1842) sens. lat. <i>Saemundssonia lari fallai</i> Timmermann, 1951 <i>Saemundssonia africana sycophanta</i> Timmermann, 1962 <i>Saemundssonia desolata</i> Timmermann, 1959 <i>Saemundssonia</i> sp.	<i>Sterna albifrons</i> , pers. com. Calaby <i>Charadrius bicinctus</i> , pers. com. Calaby <i>Larus novaehollandiae</i> , pers. com. Calaby <i>Lobibyx novaehollandiae</i> , Timmermann, 1962 <i>Pachyptila vittata</i> , pers. com. Clay <i>Pachyptila salvini</i> , pers. com. Clay <i>Halobaena caerulea</i> , pers. com. Calaby <i>Pterodroma lessoni</i> , pers. com. Clay
Genus	<i>Strigiphilus</i> <i>Strigiphilus cursitans</i> group <i>Strigiphilus aitkeni</i> Clay, 1966 <i>Strigiphilus</i> n. sp.	<i>Ninox novaeseelandiae</i> , pers. com. Calaby <i>Tyto novaehollandiae</i> , Clay, 1966 <i>Aegothelos cristata</i> , pers. com. Calaby
Genus	<i>Podargoecus</i> <i>Podargoecus strigoides</i> Emerson and Price, 1966	<i>Podargus strigoides</i> , pers. com. Clay
Genus	<i>Sturnidoecus</i> <i>Sturnidoecus sturni</i> (Schrantz, 1776)	<i>Sturnus vulgaris</i>
Genus	<i>Trabeculus</i> <i>Trabeculus hexacon</i> (Waterston, 1914) sens. lat. <i>Trabeculus schillingi</i> Rudow, 1866	<i>Puffinus tenuirostris</i> , pers. com. Calaby <i>Pterodroma lessonii</i> , pers. com. Clay
Genus	<i>Turnicola</i> <i>Turnicola</i> sp.	<i>Turnix varia</i> , pers. com. Calaby <i>Coturnix pectoralis</i> , pers. com. Calaby
Genus	<i>Degeeriella</i> <i>Degeeriella rufa</i> (Burm, 1838) sens. lat. <i>Degeeriella fusca</i> (Denny, 1842) <i>Degeeriella fulva</i> (Giébel, 1874)	<i>Falco berigora</i> , pers. com. Calaby <i>Circus approximans</i> , pers. com. Clay <i>Accipiter fasciatus</i> , pers. com. Clay
Genus	<i>Austrogoniodes</i> <i>Austrogoniodes waterstoni</i> (Cummings, 1914)	<i>Eudyptula minor</i> , pers. com. Calaby

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Rallicola</i>	
	<i>Rallicola campbelli</i> Emerson, 1964	<i>Tribonyx mortierii</i> , Emerson, 1964
	<i>Rallicola montieri</i> Emerson, 1964	<i>Tribonyx mortierii</i> , Emerson, 1964
	<i>Rallicola lugens</i> (Giebel, 1874)	<i>Porphyrio melanotus</i> , pers. com. Clay
Sub Order	ANOPLURA	
Family	HOPLOPLEURIDAE	
Genus	<i>Polyplax</i>	
	<i>Polyplax spinulosa</i> (Burmeister, 1839)	<i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby
Genus	<i>Hoplopleura</i>	
	<i>Hoplopleura irritans</i> Kuhn and Ludwig, 1967	<i>Rattus lutreolus</i> , Kuhn and Ludwig, 1967
	<i>Hoplopleura mastacomysidis</i> Kuhn and Ludwig, 1967	<i>Mastacomys fuscus</i> , Kuhn and Ludwig, 1967
	<i>Hoplopleura calabyi</i> Johnson, 1960	<i>Pseudomys higginsi</i> , Kuhn and Ludwig, 1967
	<i>Hoplopleura pacifica</i> Ewing, 1924	<i>Rattus rattus</i> , pers. com. Calaby
	Nymphs not determinable	<i>Pachycephala olivacea</i> , pers. com. Calaby <i>Larus novaehollandiae</i> , pers. com. Calaby <i>Charadrius bicinctus</i> , pers. com. Calaby
Order	SIPHONAPTERA	
Super Family	<u>PULICOIDEA</u>	
Family	PULICIDAE	
Genus	<i>Pulex</i>	
	<i>Pulex irritans</i> Linné, 1758	<i>Trichosurus vulpecula</i> , pers. com. Calaby
Super Family	<u>CERATOPHYLLOIDEA</u>	
Family	RHOPALOPSYLLIDAE	
Genus	<i>Parapsyllus</i>	
	<i>Parapsyllus australiacus</i> Roths., 1809	<i>Eudyptula minor</i> , pers. com. Calaby <i>Pelagodroma marina</i> , pers. com. Mardon
	<i>Parapsyllus taylori</i> Jordan, 1942	<i>Puffinus tenuirostris</i> , pers. com. Calaby <i>Puffinus tenuirostris</i> , pers. com. Calaby
Family	PYGIOPSYLLIDAE	

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Hoogstraali</i>	
	<i>Hoogstraali vandiemeni</i> Smit, 1958	<i>Sericornis humilis</i> , Holland, 1962
Genus	<i>Pygiopsylla</i>	
	<i>Pygiopsylla hoplia</i> Jordan and Roths., 1922	<i>Ornithorhyncus anatinus</i> , pers. com. Mardon <i>Potorous tridactylus</i> , pers. com. Calaby <i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunnii</i> , pers. com. Calaby <i>Trichosurus vulpecula</i> , pers. com. Mardon <i>Sarcophilus harrisii</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Mardon <i>Dasyurus viverrinus</i> , pers. com. Calaby <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Antechinus minimus</i> , pers. com. Calaby <i>Hydromys chrysogaster</i> , pers. com. Calaby <i>Mastacomys fuscus</i> , pers. com. Calaby <i>Pseudomys higginsi</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby <i>Rattus norvigicus</i> , pers. com. Calaby <i>Potorous tridactylus</i> , pers. com. Calaby <i>Bettongia cuniculus</i> , pers. com. Calaby <i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunnii</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Mardon <i>Dasyurus viverrinus</i> , pers. com. Mardon <i>Rattus lutreolus</i> , pers. com. Calaby <i>Potorous tridactylus</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby
	<i>Pygiopsylla zethi</i> (Roths., 1904)	
	<i>Pygiopsylla</i> sp. n.	
Genus	<i>Acanthopsylla</i>	
	<i>Acanthopsylla rothschildi</i> (Rainbow, 1905)	<i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunnii</i> , pers. com. Calaby <i>Trichosurus vulpecula</i> , pers. com. Calaby <i>Eudromicia lepida</i> , pers. com. Calaby <i>Dasyurus viverrinus</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Calaby * <i>Sminthopsis leucopus</i> , pers. com. Calaby <i>Pseudomys higginsi</i> , pers. com. Calaby <i>Rattus lutreoplus</i> , pers. com. Calaby * <i>Cercartetus nanus</i> * <i>Eudromicia lepida</i> , pers. com. Calaby <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Cercartetus nanus</i> , pers. com. Calaby <i>Eudromicia lepida</i> , pers. com. Calaby
	<i>Acanthopsylla scintilla</i> (M. Roths., 1936)	
	<i>Acanthopsylla</i> sp. n.	
Genus	<i>Choristopsylla</i>	
	<i>Choristopsylla ochi</i> (Roths., 1904)	<i>Trichosurus vulpecula</i> , pers. com. Calaby <i>Eudromicia lepida</i> , pers. com. Mardon
Genus	<i>Bradiopsylla</i>	
	<i>Bradiopsylla echidnae</i> (Denny, 1843)	<i>Tachyglossus setosus</i> , pers. com. Calaby

	<u>PARASITE</u>	<u>HOST</u>
Genus	<i>Lycopsylla</i>	
	<i>Lycopsylla nova</i> Roths., 1904	<i>Vombatus ursinus</i> , pers. com. Calaby
Genus	<i>Uropsylla</i>	
	<i>Uropsylla tasmanica</i> Roths., 1905	<i>Sarcophilus harrisii</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Calaby <i>Dasyurus viverrinus</i> , pers. com. Calaby
Family	STEPHANOCIRCIDAE	
Sub Family	STEPHANOCIRCINAE	
Genus	<i>Stephanocircus</i>	
	<i>Stephanocircus pectinipes</i> Roths., 1915	<i>Pseudomys higginsi</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby
	<i>Stephanocircus simsoni</i> Roths., 1905	<i>Dasyurus viverrinus</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby
	<i>Stephanocircus dasyuri</i> Skuse, 1893	<i>Potorous tridactylus</i> , pers. com. Calaby <i>Isoodon obesulus</i> , pers. com. Calaby <i>Perameles gunnii</i> , pers. com. Calaby <i>Dasyurops maculatus</i> , pers. com. Mardon <i>Dasyurus viverrinus</i> , pers. com. Calaby <i>Hydromys chrysogaster</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby <i>Antechinus swainsonii</i> , pers. com. Calaby <i>Antechinus minimus</i> , pers. com. Calaby
	<i>Stephanocircus</i> n. sp.	
Family	MACROPSYLLIDAE	
Genus	<i>Macropsylla</i>	
	<i>Macropsylla hercules</i> Roths., 1905	<i>Antechinus swainsonii</i> , pers. com. Calaby <i>Hydromys chrysogaster</i> , pers. com. Calaby <i>Mastacomys fuscus</i> , pers. com. Calaby <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby
Family	ISCHNOPSYLLIDAE	
Genus	<i>Porribius</i>	
	<i>Porribius</i> sp.	<i>Chalinolobus gouldi</i> , pers. com. Calaby <i>Pipistrellus tasmaniensis</i> , pers. com. Calaby <i>Nyctophilus geoffroyi</i> , pers. com. Calaby <i>Eptesicus pumilus</i> , pers. com. Calaby
Family	LEPTOPSYLLIDAE	
Genus	<i>Leptopsylla</i>	
	<i>Leptopsylla segnis</i> (Schönherr, 1811)	<i>Antechinus minimus</i> , pers. com. Mardon <i>Rattus lutreolus</i> , pers. com. Calaby <i>Rattus rattus</i> , pers. com. Calaby <i>Rattus norvegicus</i> , pers. com. Mardon <i>Mus musculus</i> , pers. com. Calaby

	<u>PARASITE</u>	<u>HOST</u>
Family	CERATOPHYLLIDAE	
Genus	<i>Nosopsyllus</i>	
	<i>Nosopsyllus fasciatus</i> (Bosc. D'Antic, 1801)	<i>Rattus lutreolus</i> , pers. com. Marriott
	<i>Nosopsyllus londiniensis</i> (Roths., 1903)	<i>Rattus norvegicus</i> , pers. com. Mardon <i>Rattus rattus</i> , pers. com. Calaby
Order	DIPTERA	
Family	CHLOROPIDAE	
Genus	<i>Batrachomyia</i>	
	<i>Batrachomyia</i> sp.	<i>Crinia levigata</i> , pers. com. Hickman <i>Pseudophryne seminarmorata</i> , pers. com. Hickman
Family	MUSCIDAE	
Genus	<i>Passeromyia</i>	
	<i>Passeromyia</i> sp.	<i>Passer domesticus</i> <i>Carduelis carduelis</i>
Family	HIPPOBOSCIDAE	
Genus	<i>Ornithophila</i>	
	<i>Ornithophila metallica</i> (Schiner, 1864)	Host unrecorded (pers. com. Maa)
Genus	<i>Ornithomya</i>	
	<i>Ornithomya avicularia nigricornis</i> (Erichson, 1842)	<i>Accipiter fasciatus</i> , pers. com. Maa <i>Circus approximans</i> , pers. com. Maa <i>Falco peregrinus</i> , Maa, 1962 <i>Ninox novaeseelandiae</i> , Maa, 1962 <i>Tyto alba</i> , Maa, 1962 <i>Platycercus caledonicus</i> , Maa, 1962 <i>Colluricinclla harmonica</i> , pers. com. Maa <i>Coracina novaehollandiae</i> , pers. com. Maa <i>Anthochaera chrysoptera</i> , pers. com. Maa <i>Corvus tasmaniensis</i> , pers. com. Maa <i>Phasianus colchicus</i> , Maa, 1962 <i>Numida meleagris</i> , Maa, 1962 <i>Acanthorhynchus tenuirostris</i> , pers. com. Maa
	<i>Ornithomya opposita</i> Walker, 1849	
Genus	<i>Ortholfersia</i>	
	<i>Ortholfersia phaneroneura</i> Speiser, 1902	<i>Wallabia rufogrisea</i> , Maa, 1962
Family	NYCTERIBIIDAE	
Genus	<i>Basilia</i>	
	<i>Basilia multispinosa</i> (Musgrave, 1927)	FAMILY VESPERTILIONIDAE, pers. com. Maa
	<i>Basilia</i> n. sp.	<i>Eptesicus pumilus</i> , pers. com. Maa

	<u>PARASITE</u>	<u>HOST</u>
Order	PENTASTOMIDA	
Genus	<i>Waddycephalus</i>	
	<i>Waddycephalus teretiusculus</i>	<i>Denisonia superba</i> , pers. com. Hickman

ACKNOWLEDGEMENTS

The authors wish to acknowledge invaluable assistance provided by the undermentioned people who collected or identified specimens and gave helpful criticism of the manuscript.

T. Andersen, J. H. Calaby, K. R. Campbell, Dr. Theresa Clay, R. Domrow, Dr. G. M. Dunnet, Dr. K. C. Emerson, Dr. J. L. Hickman, Dr. H. Hoogstraal, Dr. Phyllis Johnson, Dr. M. N. Kaiser, D. H. Kemp, Dr. Hans Jürg Kuhn, Dr. T. C. Maa, K. D. Mardon, R. W. Marriott, B. C. Mollison, M. D. Murray, M. G. Ridpath, Dr. F. H. S. Roberts, A. F. Ryan, Dr. G. Timmermann, Dr. Tindeiro, T. O. Wolf.

BIBLIOGRAPHY

- CLAY, Theresa (1966) The species of *Strigiphilus* (Mallophaga: Philopteridae) parasites on the barn owls, *Tyto* (Tytonidae). *J. Ent. Soc. Qld.* 5, 10-17
- (1970) A new species of *Myrisdea* (Mallophaga: Insecta) *W. Aust. Nat.* 11, (6), 135-7
- DOMROW, Robert (1955) Notes on Australian fur-mites (Listrophoridae, Atopomelinae) with description of a new genus. *Proc. Linn. Soc. N.S.W.* 80, (2), 191-200
- (1958) A summary of the Atopomelinae (Acarina, Listrophoridae) *Proc. Linn. Soc. N.S.W.* 83, (1), 40-54
- (1961) New and little-known Laelaptidae, Trombiculidae and Listrophoridae (Acarina) from Australasian mammals. *Proc. Linn. Soc. N.S.W.* 86, (1), 60-95
- (1962) The genus *Siseca* in Australia (Acarina: Trombiculidae) *J. Ent. Soc. Qld.* 1, 21-24
- (1963a) The genus *Andreacarus* in Australia (Acarina: Laelapidae). *J. Ent. Soc. Qld.* 2, 9-12
- (1963b) New records and species of Austromalayan laelapid mites. *Proc. Linn. Soc. N.S.W.* 88, (2), 199-220
- (1966a) Some laelapid mites of syndactylous marsupials. *Proc. Linn. Soc. N.S.W.* 90, (2), 164-175
- (1966b) Some mite parasites of Australian Birds. *Proc. Linn. Soc. N.S.W.* 90, 190-217
- (1970) The male of *Neochylettiella artami* Domrow (Acari: Cheyletidae). *Proc. Linn. Soc. N.S.W.* 94, 273-6
- EMERSON, K. C. (1964) Two new species of *Rallicola* from Tasmania (Mallophaga: Philopteridae). *J. Ent. Soc. Qld.* 3, 30-1

- HOLLAND, G. P. (1962) Save those fleas. *Aust. Mammal Soc. Bull.* No. 5
6-9
- KUHN, Hans-Jürg and Suckling lice of the genus *Hoplopleura* (Anoplura:
LUDWIG, Herbert W. (1967) Insecta) from Australian Muridae, *Ann. Mag. Nat. Hist.*
ser. 13, 9, 658-73
- MAA, T. C. (1962) Notes on the hippoboscidae (Diptera)
l' Pacific Insects, 4, (3), 583-614
- MUNDAY, B. L. (1966) Diseases of Tasmania's free-living animals.
Tas. Dept. Agric. Res. Bull. No. 5
- ROBERTS, F. H. S. (1960) A systematic study of the Australian species of the
genus *Ixodes* (Acarina: Ixodidae).
Aust. J. Zool. 8, 392-485
- (1964) The tick fauna of Tasmania. *Rec. Queen Vict. Mus.* No. 17.
Australian Ticks (C.S.I.R.O., Melbourne)
- TINDEIRO, (1967) This deals with a new sp. of lice from *Phaps chalcoptera*,
Estudos Gerias Universitarios de Mocambique, Lourenço
Marques, 4, 100.
- TIMMERMANN, Günther (1962) Neue zangenlause (Malleophaga, Philopteridae)
von procellarugormen und charadriformen wirten.
Z. f. Parasitenkunde 21, 426-36